

|            | Item                               | E22E/E22D  | E22                                       |
|------------|------------------------------------|--|---|
| Dimensions | Length x Width x Height            | 43.7 × 16.5 × 44.1 in (111 × 42 × 112 cm)  | 42.9 × 16.5 × 44.1 in (109 × 42 × 112 cm) |
|            | folded: Length x Width x Height    | 44.9 × 16.5 × 14.2 in (114 × 42 × 36 cm)   | 44.5 × 16.5 × 14.2 in (113 × 42 × 36 cm)  |
| Weight     | Net Weight                         | Approx. 29.8 lbs (13.5kg)  |   |
| Rider      | Payload                            | 55–220 lbs (25–100 kg)   |   |
|            | Recommended Age                    | 14–60 years  |   |
|            | Required Height                    | 3'11"–6'6" (120–200 cm)  |   |
| Parameters | Max. Speed                         | 12.4 mph (20 km/h)   |   |
|            | Typical Range <sup>(1)</sup>       | 13.7 miles (22 km)   |   |
|            | Max. Slope                         | 15%  |   |
|            | Traversable Terrain                | asphalt/flat pavement; obstacles < 0.4 in (1 cm); gaps < 1.2 in (3 cm)               |   |
|            | Operating Temperature              | 14–104°F (-10–40°C)  |   |
|            | Storage Temperature                | -4–122°F (-20–50°C)  |   |
|            | IP Rating                          | IPX4   |   |
|            | Duration of Charging               | Approx. 3.5 h  |   |
| Battery    | Nominal Voltage                    | 36 V $\equiv$  |   |
|            | Max. Charging Voltage              | 42 V $\equiv$  |   |
|            | Charging Temperature               | 32–104°F (0–40°C)  |   |
|            | Nominal Energy                     | 184 Wh   |   |
|            | Nominal Capacity                   | 5100 mAh   |   |
|            | Battery Management System          | Over-heating, short circuit, over-current, over-discharge and over-charge protection |   |
|            | Number of Batteries <sup>(2)</sup> | 1  |   |
| Motor      | Nominal Power                      | 300 W, 0.3 kW  |   |
| Charger    | Output Power                       | 71 W, 0.071 kW   |   |
|            | Input Voltage                      | 100–240 V~   |   |
|            | Output Voltage                     | 42 V $\equiv$  |   |
|            | Output Current                     | 1.7 A  |   |
| Features   | Brake Light                        | LED rear light   |   |
|            | Riding Modes                       | Speed limit mode, Standard mode and Sport mode                                       |   |
| Tire       | Tires                              | Dual Density Tires. Material: synthetic rubber. Size: 9 inches                       |   |